

Disclosure for NY DEC Part 494 for Website

All motor-bearing refrigeration equipment and foam may only be used in the State of New York with substances that are in compliance with New York State regulations.

Per the New York Department of Environmental Conservation Regulation Part 494, the following Daikin Comfort Technologies North America, Inc. products contain or use the specified virgin (non-reclaim) regulated substances, manufactured the same year as is provided per the equipment label and invoice.

I certify under penalty of law that the statements and information submitted in this document are to the best of my knowledge and belief true, accurate, and complete and I acknowledge the regulatory requirements of 6 NYCRR Part 494.

Signature of authorized representative:



Products and Systems

Residential and Light Commercial AC/HP Equipment

Unitary R-32 Outdoor Units (Ducted):

Models:

- GLXS3B, GLXS4B, GLXS5B, GLXS4M, GXV6S, GXV9S, GLXT7C, GLZS4B, GLZS5B, GLZS4M, GZV6S, GZV7S, GZV8S, GZV9S, GLZT7C, ALXS3N, ALXS3B, ALXS4N, ALXS4B, ALXS5B, AXV6S, ALXT7C, AXV9S, ALZS4N, ALZS4B, ALZS5B, AZV6S, AZV7S, ALZT7C, AZV8S, AZV9S, DC3SQ, DC3SE, DC4SQ, DC4SE, DC5SE, DC6VS, DC7TC, DC9VS, DC4SQ, DH4SQ, DH4SE, DH5SE, DH6VS, DH7VS, DH7TC, DH8VS, DH9VS

Unitary R-410A Outdoor Units (Ducted):

Models:

- GSXN3, GSXN4, GSXB4, GSXM4, GSXH5, GSXS6, GSXC7, GSXV9, VSXN3, VSXN4, VSZN4, GSZB4, GSZM4, GSZH5, GSZS6, GSZC7, GSZV9, ASXN3, ASXH3, ASXN4, ASXH4, ASXH5, ASXS6, ASXC7, ASXV9, ASZN4, ASZH4, ASZH5, ASZS6, ASZC7, ASZV9, DX3SQ, DX3SE, DX4SQ, DX4SE, DX5SE, DX6VS, DX7TC, DX9VC, DZ4SQ, DZ4SE, DZ5SE, DZ6VS, DZ7TC, DZ9VC

Unitary R-32 Indoor Units (Ducted):

Models:

- DMVE, DFVE, DMVT, AMST, ACSF, MBVK, AWVE, AWST, AWSF, MBVB, AMVE, AHVE, AMVT

Unitary R-410A Indoor Units (Ducted):

Models:

- DMVE, DFVE, DMVT, AMST, ACSF, MBVK, AWVE, AWST, AWSF, MBVB, AMVE, AHVE, AMVT

R-410A Furnaces

Models:

- AC9S, AM9S, GC9S, GM9S, DM80S, DC80S,

VRF Equipment

R-32 VRV Outdoor Units:

Models:

- RXTA

R-410A VRV Outdoor Units:

Models:

- REYQ, RWEQ, RXYQ, RELQ, RWEYQ, RXSQ, RXTQ

R-32 VRV Indoor Units:

Models:

- FXSA, FXMA, FXTA

R-410A VRV Indoor Units:

Models:

- FXTQ, FXMQ, FXSQ, FXFQ



VC9S, VM9S, DM92S, DM96S, DC96S, DM80T, DC80T, AC9C, AM9C, GC9C, GM9C, DM96T, DC96T, AMVS, GMVS, CDVS, DD96S, DD80S, ACVC, AMVC, GVCV, GMVC, DM80VC, DC80VC, DC96VC, DM96VC, DC97MC, DM97MC, ACVM, AMVM, GCVV, GMVM

R-32 Furnaces

Models:

- AD9S, AR9S, GD9S, GR9S, DR80S, DD80S, VD9S, VR9S, DR92S, DR96S, DD96S, DR80T, DD80T, AD9T, AR9T, GD9T, GR9T, DR96T, DD96T, DR80S, DR96S, ARVS, GRVS, CDVS, DD96S, DD80S, ADVT, ARVT, GDVT, GRVT, DR97MC, DD97MC, ADVV, ARVV, GDVV, GRVV

Packaged R-32 Products:

Models:

- DP3DM, DP3GM, DP5GM, DP3UM, DP5UM, DP3CH, DP3HH, DP5HH, DP3HM, DP5HM, PMC, PTC, DRY, HEC

Packaged R-410A Products:

Models:

- DP14DM, DP3DM, DP14GM, DP3GM, DP16GM, DP5GM, DP14UM, DP3UM, DP16UM, DP5UM, DP14CH, DP3CH, DP14HH, DP3HH, DP16HH, DP5HH, DP14HM, DP3HM, DP16HM, DP5HM

R-32 Outdoor Units (Ductless):

Models:

- RXC, RKF, RXF, RXT, RXM, RZA, 2MXT, 2MXS, 3MXS, 4MXS

R-410A Outdoor Units (Ductless):

Models:

- RXB, RK, RX, RXL, RKS, RZR, RZQ, 2MXL, 3MXL, 4MXL, 2MXS, 3MXS, 4MXS, 5MXS, RMXS

R-32 Indoor Units (Ductless):

Models:

- FTXC, FTKF, FTXF, FTXV, FTXM, FCA, FBA, FTA, CTXV, FTXV

R-410A Indoor Units (Ductless):

Models:

- FTXB, FTK, FTX, FTXR, FVXS, FDMQ, FFQ, FAQ, FCQ, FHQ, FBQ, FTQ, CTX, FTXR, CTXS, FTXS, FFQ, FVXS, CDMQ, FDMQ

R-32 Coils

Models:

- CAPEA, CHPEA, CAPTA, CHPTA, CSCT, CAPFA, CAUTA, CAPE, CHPE, CAPT, CHPT, CHPF, CAPF, CCHP-AH

R-410A Coils



Models: CAPEA, CHPEA, CAPTA, CHPTA, CSCF, CAPFA, CAUFA, CAPE, CHPE, CAPT, CHPT, CHPE, CAPF, CAUF	
--	--

Specified components of systems: [Sold as replacement or otherwise] Condensing units, condensers, compressors, evaporator units, and evaporators used in field charged systems in the refrigeration and air-conditioning sectors and subsectors: May contain R-410A or R-32

